

AENOR

AENOR Product Certificate Chimneys



040/000097

AENOR certifies that the organization

F.F. BOFILL, S.A.

registered office	PI VILASECA, 1 08571 SANT VICENÇ DE TORELLÓ (Barcelona - España)
supplies the product	Metal system chimneys
in compliance with	UNE-EN 1856-1:2010 (EN 1856-1:2009)
Series	J
	See annex for more information.
Production site	PI VILASECA, 1 08571 SANT VICENÇ DE TORELLÓ (Barcelona - España)
Certification scheme	In order to grant this Certificate, AENOR has tested the product and has verified the quality system implemented for its manufacture. AENOR performs these tasks periodically while the Certificate has not been cancelled, in accordance with Specific Rules RP 40.01.
First issued on	2007-08-23
Last issued	2017-08-23
Validity date	2022-08-23



Rafael GARCÍA
General Manager

Original Electrónico

AENOR

AENOR Product Certificate Chimneys

040/000097

Annex to Certificate

Series J

Model	Number of walls	Smallest diameter (in mm)	Largest diameter (in mm)	Temperature level	Pressure level	Condensate resistance (W: wet; D: dry)	Corrosion resistance	Flue liner material specification	Sootfire resistance (G: yes or O: no)	Distance to combustible material (in mm)	External wall material specification	Joint/sealing	Wind load resistance
INOX-GALVA	2	80	300	T450	N1	D	Vm	L20040	G	50	L99050-Galva	NO	4
INOX-GALVA	2	80	300	T450	N1	D	Vm	L20040	G	50	L99040-Galva	NO	4
INOX-GALVA	2	80	300	T450	N1	D	V2	L50040	G	50	L99040-Galva	NO	4
INOX-GALVA	2	80	300	T450	N1	D	V2	L50040	G	50	L99050-Galva	NO	4
INOX-INOX	2	80	300	T450	N1	D	Vm	L20040	G	50	L20040	NO	4
INOX-INOX	2	80	300	T450	N1	D	Vm	L20040	G	50	L20050	NO	4
INOX-INOX	2	80	300	T450	N1	D	V2	L50040	G	50	L20040	NO	4
INOX-INOX	2	80	300	T450	N1	D	V2	L50040	G	50	L20050	NO	4

First issued on 2007-08-23
Last issued 2017-08-23
Validity date 2022-08-23

Original Electrónico

AENOR INTERNACIONAL S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com